

# VIDEO INSPECTIONS FOR GAS FURNACE AND GAS WATER HEATER REPLACEMENT

UPON COMPLETION OF THE INSTALLATION THE TECHNICIAN MUST VIDEO THE APPLIANCE INSTALLATION. THE VIDEO MUST INCLUDE THE FOLLOWING:

- THE APPLIANCE AND CLEARANCES AROUND IT
- THE DATA LABEL AND OVERCURRENT DEVICE(includes heat pump if applicable)
- THE GAS LINE, SHUT OFF, UNION, SEDIMENT TRAP/DRIP LEG AND ELECTRICAL BONDING
- VISIBLE VENT, VENT CONNECTIONS, TERMINATION, AND CLEARANCE TO COMBUSTIBLES
- OVERFLOW PAN AND DRAIN IF REQUIRED

THE VIDEO SHOULD BE EMAILED TO BOTH [BMARVIN@SPOTSYLVANIA.VA.US](mailto:BMARVIN@SPOTSYLVANIA.VA.US) AND [KPERRY@SPOTSYLVANIA.VA.US](mailto:KPERRY@SPOTSYLVANIA.VA.US) AND INCLUDE THE PERMIT NUMBER, A COPY OF THE APPLIANCE MANUFACTURERS INSTALLATION SPECIFICATIONS, AS WELL AS THE COMPLETED REQUIRED VENT CERTIFICATION FORM. MAKE SURE THE VENT FORM IS FILLED OUT COMPLETELY AND SIGNED BY THE LICENSED TRADESMAN.

AN INSPECTOR WILL VIEW THE VIDEO AND EMAIL THE INSPECTION CONTACT LISTED ON THE PERMIT ANY DESCREPIENCIES THAT REQUIRE CORRECTION, OR AN APPROVED INSPECTION REPORT. CORRECTIONS OF ANY FAILED INSPECTIONS MUST BE EMAILED AS ABOVE ONCE COMPLETE.

Questions may be directed to Ernie Deihr at 540-507-7251