



Spotsylvania County, Virginia

Building Safety Department, 9019 Old Battlefield BLVD, STE 300, Spotsylvania, VA 22553-2039
Phone numbers: Main (540) 507-7222 , Fax (540) 507-7283, E-Mail: building@spotsylvania.va.us

CHIMNEY CERTIFICATION FOR REPLACEMENT OF FUEL FIRED EQUIPMENT

PERMIT # _____

WORK SITE ADDRESS _____

APPLICANT _____

CERTIFYING INDIVIDUAL _____
COMPANY _____
ADDRESS _____
STREET CITY STATE ZIP CODE
PHONE # (_____) _____ - _____

<p>CHECK THE APPROPRIATE BOXES:</p> <p>Type of Replacement:</p> <p><input type="checkbox"/> Oil to Gas Conversion</p> <p><input type="checkbox"/> Gas Appliance Replacement</p> <p><input type="checkbox"/> Oil to Oil Replacement</p> <p><input type="checkbox"/> Wood stove or FP insert</p> <p><input type="checkbox"/> Other _____</p>	<p>Existing Vent/Chimney:</p> <p><input type="checkbox"/> B Label Vent</p> <p><input type="checkbox"/> L Label Vent</p> <p><input type="checkbox"/> Masonry Chimney — Tile Lined</p> <p><input type="checkbox"/> Flexible Liner</p> <p><input type="checkbox"/> Power Vent/Exhauster</p> <p><input type="checkbox"/> Other _____</p>
--	---

CERTIFICATION

“persons performing such changes or installations shall certify to the building official that the requirements of this section are met.”

- **For Oil to Gas Conversions:** I hereby certify that the chimney/vent is free and clear of obstruction and is substantially clean of residue from its previous use serving an oil appliance. I further certify that the chimney/vent is appropriately lined and sized for the appliance being installed

Signature date

- **Oil to Oil or Gas to Gas Replacements:** I hereby certify that the existing chimney/vent is free and clear of obstruction. I further certify that the existing chimney/vent is appropriately lined and sized for the appliance being installed.

Signature date

- **Direct Vent Appliance:** No certification required:

Signature date

SEE BACK



Spotsylvania County, Virginia

Building Safety Department, 9019 Old Battlefield BLVD, STE 300, Spotsylvania, VA 22553-2039
Phone numbers: Main (540) 507-7222 , Fax (540) 507-7283, E-Mail: building@spotsylvania.va.us

Part I of the Virginia Uniform Statewide Building Code 2009 VIRGINIA CONSTRUCTION CODE Effective March 1, 2011

RESIDENTIAL

(VRC/IRC) M1801.1.1 Equipment changes. Upon the replacement or new installation of any fuel-burning appliances or equipment in existing buildings, an inspection or inspections shall be conducted to ensure that the connected vent or chimney systems comply with the following:

1. Vent or chimney systems are sized in accordance with this code.
2. Vent or chimney systems are clean, free of any obstruction or blockages, defects or deterioration and are in operable condition.

Where not inspected by the local building department, persons performing such changes or installations shall certify to the building official that the requirements of Items 1 and 2 of this section are met.

(VRC/IRC) G2425.1.1 Equipment changes. Upon the replacement or new installation of any fuel-burning appliances or equipment in existing buildings, an inspection or inspections shall be conducted to ensure that the connected vent or chimney systems comply with the following:

1. Vent or chimney systems are sized in accordance with this code.
2. Vent or chimney systems are clean, free of any obstruction or blockages, defects, or deterioration and are in operable condition.

Where not inspected by the local building department, persons performing such changes or installations shall certify to the building official that the requirements of Items 1 and 2 of this section are met.

COMMERCIAL

(IMC) 801.1.1 Equipment changes. Upon the replacement or new installation of any fuel-burning appliances or equipment in existing buildings, an inspection or inspections shall be conducted to ensure that the connected vent or chimney systems comply with the following:

1. Vent or chimney systems are sized in accordance with this code.
2. Vent or chimney systems are clean, free of any obstruction or blockages, defects or deterioration and are in operable condition.

Where not inspected by the local building department, persons performing such changes or installations shall certify to the building official that the requirements of Items 1 and 2 of this section are met.

(IFGC) 501.1.1 Equipment changes. Upon the replacement or new installation of any fuel-burning appliances or equipment in existing buildings, an inspection or inspections shall be conducted to ensure that the connected vent or chimney systems comply with the following:

1. Vent or chimney systems are sized in accordance with this code.
2. Vent or chimney systems are clean, free of any obstruction or blockages, defects or deterioration and are in operable condition.

Where not inspected by the local building department, persons performing such changes or installations shall certify to the building official that the requirements of Items 1 and 2 of this section are met.

VRC/IRC-Virginia Residential Code/International Residential Code 2009

IMC- International Mechanical Code 2009

IFGC-International Fuel Gas Code 2009

Note: The code sections listed above are added to the International codes by the "2009 VIRGINIA CONSTRUCTION CODE" (Part I of the Virginia Uniform Statewide Building Code) – Effective March 1, 2011

THIS FORM MUST BE RETURNED TO BUILDING INSPECTIONS PRIOR TO THE FINAL INSPECTION